

Cambridge IGCSE™

CO-ORDINATED SCIENCES**0654/51**

Paper 5 Practical Test

May/June 2026

MARK SCHEME

Maximum Mark: 60

Published

This mark scheme contains the instructions and marking guidance that our examiners used to mark candidate responses for this component.

Before they start marking, examiners complete a standardisation process. They review a range of candidate responses and discuss the mark scheme in detail to agree which answers can and cannot be accepted. Examiners award marks where it is clear that candidate responses have met the requirements of the mark scheme. These requirements may vary between different components or different versions of the same component, depending on the exact requirements of the question and the candidate responses seen during the standardisation process.

Sometimes, our mark schemes may allow marks to be awarded to responses which contain elements that are factually incorrect or for content not covered by the syllabus. We do this in response to the demands of a specific question to support candidates and make sure that our assessments are fair. However, these allowances should not be used as a guide for teaching and learning.

We cannot discuss the mark scheme with schools, and we recommend that schools read the mark scheme together with the assessment material and the Principal Examiner Report for Teachers.

This document consists of **16** printed pages.

General marking principles

All examiners must apply these marking principles when marking candidate responses.

1	Examiners must award marks for each response in line with: - the specific content defined in the mark scheme - the specific skills defined in the mark scheme or in the level descriptions - the standard of response required as exemplified by the standardisation scripts.
2	Examiners must award whole marks (not half marks, or other fractions).
3	Examiners must award marks positively . This means that: - marks are not deducted for errors or omissions - marks are awarded for correct/valid answers as defined in the mark scheme and also for other valid answers which go beyond the scope of the syllabus and mark scheme referring to your team leader as appropriate - the quality of spelling, punctuation and grammar are judged only when the mark scheme indicates that these features are specifically assessed in the question. However, the meaning of all responses must be unambiguous.
4	Examiners must consistently apply the requirements of the mark scheme and any rules for what to do when candidates have not followed instructions correctly.
5	Examiners must use the full range of marks defined in the mark scheme, unless limited by the quality of the candidate responses seen.
6	Examiners must award marks according to the mark scheme and must not award marks with grade thresholds or grade descriptions in mind.

Science-Specific Marking Principles

1	Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.
2	The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.
3	Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).
4	The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.
5	<u>'List rule' guidance</u> For questions that require <i>n</i> responses (e.g. State two reasons ...): • The response should be read as continuous prose, even when numbered answer spaces are provided. • Any response marked <i>ignore</i> in the mark scheme should not count towards <i>n</i>. • Incorrect responses should not be awarded credit but will still count towards <i>n</i>. • Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should not be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response. • Non-contradictory responses after the first <i>n</i> responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Annotations guidance for centres

Examiners use a system of annotations as a shorthand for communicating their marking decisions to one another. Examiners are trained during the standardisation process on how and when to use annotations. The purpose of annotations is to inform the standardisation and monitoring processes and guide the supervising examiners when they are checking the work of examiners within their team. The meaning of annotations and how they are used is specific to each component and is understood by all examiners who mark the component.

We publish annotations in our mark schemes to help centres understand the annotations they may see on copies of scripts. Note that there may not be a direct correlation between the number of annotations on a script and the mark awarded. Similarly, the use of an annotation may not be an indication of the quality of the response.

The annotations listed below were available to examiners marking this component in this series.


Annotations

Annotation	Meaning
	correct point or mark awarded
	incorrect point or mark not awarded
	benefit of the doubt given
	response is too vague or there is insufficient detail in response
	error carried forward applied
	information missing or insufficient for credit
	unclear response
	incorrect or insufficient point ignored while marking the rest of the response
	incorrect point or mark not awarded
	contradiction in response, mark not awarded

Annotation	Meaning
	point has been noted, but no credit has been given or blank page seen
	key point attempted / working towards marking point / incomplete answer / response seen but not credited / blank page seen
sup	refers to the supervisors' responses

Mark Scheme Abbreviations

;	separates marking points
/	separates alternative responses for the same marking point
Allow	accept (a less-than-ideal answer which should be marked correct)
Ignore	ignore (mark as if this material was not present)
AND	indicates that two or more parts of a response are required for the mark
AVP	alternative valid point
AW	alternative wording (where responses vary more than usual)
NOT	indicates an incorrect response that would contradict another otherwise correct alternative
OR	alternative responses for the same marking point
owtte	or words to that effect
<u>underline</u>	actual word given must be used by candidate (grammatical variants excepted)
ecf	error carried forward
ORA	or reverse argument
()	the word / phrase in brackets is not required but sets the context
max	indicates the maximum number of marks

Question	Answer	Marks	Guidance
1(a)(i)	Quality: clear and continuous outline ; Size: at least half the box and must fit inside the box ; Detail: expect petals, female parts and male parts ;	3	look at supervisors paper DO NOT ALLOW shading on the drawing / ruled lines DO NOT ALLOW single lines for the stamen
1(a)(ii)	Label line touching anther and with the label A ;	1	top part of stamen ALLOW label as anther 
1(b)(i)	a value recorded in mm ;	1	
1(b)(ii)	line drawn to show the length AND correct measurement ;	1	± 2 mm DO NOT ALLOW if no line drawn ecf unit from (b)(i)
1(b)(iii)	correct calculation ; 2SF AND correctly rounded ;	2	ALLOW any sf, truncated or rounded IGNORE units

Question	Answer	Marks	Guidance
2(a)(i)	separation of rows and columns ; headers for time and volume ; units in headings minutes and cm ³ ;	3	ALLOW s if given in seconds / ml DO NOT ALLOW m IGNORE units on the values in the table
2(a)(ii)	value at 1 minute ; full set of results ; recorded to nearest 0.5cm ³ ; volume collected in last minute < volume in first minute ;	4	see supervisors results IGNORE value or missing value at 0
2(a)(iii)	description matches their results more juice collected at start / less juice collected each minute as time increases ;	1	ALLOW it decreases DO NOT ALLOW it increases IGNORE restatement of table needs to be interpreted
2(b)(i)	(repeat with) water instead of enzyme / no enzyme ;	1	ALLOW different volumes/concentrations of enzyme tested ALLOW repeat with boiled enzyme ALLOW use the apple on its own

Question	Answer	Marks	Guidance
2(b)(ii)	to ensure enzyme evenly distributed / maximum contact with enzyme and apple ;	1	ALLOW even distribution (of apple) / even spread of apple ALLOW even enzyme distribution ALLOW enzyme in contact with all apple / all apple in contact with enzyme ALLOW the concentration is even IGNORE ensure apple cells have not settled (at the bottom of the tube) IGNORE evenly mix – mix is in the Question / evenly combined IGNORE to get complete reaction / speed up the reaction / increase collision of particles IGNORE dissolving the enzyme / apple
2(b)(iii)	to increase surface area (for enzyme action) ;	1	ALLOW (to form a) large surface area ALLOW to break open the cells IGNORE mixing / increase rate of reaction / increase the surface area of a molecule
2(b)(iv)	to allow enzyme time to work ;	1	ALLOW for enzymes to (start) react(ing) / for reaction to begin IGNORE mixing DO NOT ALLOW for complete reaction / for reaction to finish

Question	Answer	Marks	Guidance
3(a)	temperature at 0 s ; full set of temperatures ; all temperatures to 0.5 °C ; temperature increases and then decreases ;	4	see supervisors results
3(b)(i)	axes correct orientation and labelled with quantity and unit ; sensible linear scales so plotted points cover $\geq \frac{1}{2}$ grid and all points must be able to be plotted ; points plotted correctly $\pm \frac{1}{2}$ small square ;	3	y axis temperature and °C x axis time and s squares 6 vertically and 7 horizontally contain points ALLOW 2 errors
3(b)(ii)	best-fit curve ;	1	Should be a single non-feathery line which takes account of all of the points but is not dot-to-dot DO NOT ALLOW lines drawn with a ruler ALLOW lines need to be within 1 small square of 8 of the points
3(b)(iii)	max temperature marked on the graph with a horizontal line to the y-axis ; value at peak of curve OR from intersecting lines of increasing and decreasing temperature ;	2	do not allow maximum temperature not taken from the graph ALLOW value $\pm \frac{1}{2}$ small square ALLOW the plateau temperature DO NOT ALLOW from non-linear scale

Question	Answer	Marks	Guidance
3(b)(iv)	correct calculated temperature increase AND correct calculation of $126 \times$ maximum temp increase ;	1	ecf from (b)(iii) ALLOW minimum 2sf and truncated or rounded values
3(c)	(expect if blue solution and pink solid) (aqueous) copper sulfate and no grey solid / no Zn left in the beaker / (pale) blue solution in the beaker ; (expect if grey solid and colourless solution) zinc and grey solid in the beaker / zinc in the beaker / solution is colourless	1	see supervisors results and dependent on what the candidate says they can see ALLOW copper sulfate / solution is still blue / copper sulfate has not lost its colour IGNORE copper sulfate and produces a blue colour DO NOT ALLOW (copper sulfate) is insoluble (in excess) IGNORE pink solid discussions
3(d)(i)	thermal energy / heat loss ;	1	IGNORE temperature reading / mass reading / time reading / volume reading / parallax IGNORE rounding / stirring / time IGNORE precision of experiment
3(d)(ii)	insulate the beaker / add a lid ;	1	

Question	Answer	Marks	Guidance
3(d)(iii)	reading the temperature and read perpendicular to the reading on the scale / reading the volume and read perpendicular to the reading on the scale ;	1	ALLOW reading temperature / volume and at eye level to the reading (on the scale) ALLOW reading the temperature and use datalogging equipment / digital scale IGNORE look directly / look parallel

Question	Answer	Marks	Guidance
4(a)	green ppt and green ppt / insoluble (in excess) ; cream ppt ; white ppt ,	3	see supervisors results IGNORE the green ppt changing to orange-brown on standing ALLOW off white ppt ALLOW solid for ppt throughout
4(b)	iron(II) and bromide and sulfate / correct symbols ;	1	ecf on 4(a) results ALLOW Fe ²⁺ and Br ⁻ and SO ₄ ²⁻ NOTE If both names and formulae are given they must match DO NOT ALLOW bromine / iron(III)
4(c)	to breakdown any carbonate ;	1	ALLOW remove carbonate / so carbonate cannot give a precipitate

Question	Answer	Marks	Guidance
5(a)(i)	mass with one strip recorded ; other two masses recorded ; all masses to 1 decimal place ; mass increases as number of strands increases ;	4	see supervisors results
5(a)(ii)	As number of strands increases, <u>mass</u> increases ;	1	ORA DO NOT ALLOW proportional - unless candidates results are
5(a)(iii)	difficulty AND suggestion given ;	1	E.g. Spaghetti snaps easily AND add marbles gently / support bag while adding; Small change in force breaks spaghetti AND gently lower bag and don't throw marbles in the bag; Judgement of centre of spaghetti AND measure with ruler ; Balancing spaghetti on clamp stand AND tape it down ; Ensure clamps are the same height AND use spirit level / measure they are at the same height with a ruler IGNORE the hole in the bag is too small

Question	Answer	Marks	Guidance
5(a)(iv)	marbles have smaller mass ; more accurate value for mass needed to break spaghetti strips ;	2	ALLOW less increase in mass for each marble ALLOW can add smaller increments of <u>mass</u> IGNORE marbles are lighter ALLOW mass needed to break the strips is nearer to the true mass NOTE it is more precise / wider range are insufficient NOTE it is more accurate is insufficient IGNORE can fit more in the bag
5(a)(v)	weight recorded to nearest 0.1 N ;	1	should be in range 0.5–1.5 N
5(b)(i)	$d = 10 \text{ cm} / 1.91$; did not divide by 3 / did not divide by the number of trials ;	2	ALLOW the value should be 0.64 value given to a minimum of 2 sf and can be rounded or truncated IGNORE just adds the values unqualified
5(b)(ii)	<u>2.56</u> ;	1	
5(b)(iii)	0.17 to 0.23 inclusive ;	1	ALLOW 0.2

Question	Answer	Marks	Guidance
6	one mark from each section and any two others: 1 apparatus voltmeter and its use in the method ; ruler and its use in the method ; 2 method connect solar cell to voltmeter/make circuit with solar cell and voltmeter and measure voltage for a minimum of two distances from the lamp ; 3 measurements distance of lamp from solar cell ; voltage / number of volts; repeat each distance to exclude / identify anomalies ; minimum 5 different distances ; 4 control variables brightness / power of lamp ; angle of solar cell ; background lighting ; 5 conclusion plot graph of voltage against distance (of lamp from solar cell) ; describe relationship from shape of graph e.g. if straight line through origin is proportional etc ; if distance increases, does voltage increase or decrease (or stay the same)	7	ALLOW multimeter ALLOW rule / tape measure may be from a circuit diagram measurements may be awarded from a results table but distance is insufficient NOTE voltmeter reading is insufficient ALLOW same (light) intensity <u>from lamp</u> / luminosity of the <u>lamp</u> IGNORE same type of lamp IGNORE position of lamp IGNORE type of solar cell ALLOW in a darkened room IGNORE a stated conclusion